

DIAMOND FINISH

Advanced Cleaner, Polish & Sealant



Form: Liquid

Color: White

Odor: Slight Orange

pH: 8.50 – 9.00

Solubility (in water): Miscible
(in mineral spirits): Insoluble

VOC Content (% by weight): <5.0

Flash Point (ASTM D-7821): >150°F

Specific Gravity: 1.02 ± 0.01 g/cm³

Density: 8.51 ± 0.05 lbs/gal

Storage Stability (at 70°F): 1 year

<u>Ingredients</u>	<u>C.A.S. #</u>
Water.....	7732-18-5
Anhydrous Aluminum Silicate	66402-68-4
Isoparaffinic Hydrocarbons	64742-47-8
Alkylpolysiloxane	63148-62-9
Carnauba Wax Emulsion	No CAS Number

Use on...
• Gasoline Spills
• Tar Residues
• Insect Remains
• Automobiles
• Ambulances
• Snow Plows
• Fire Trucks

DIRECTIONS: Shake well before using. Wash and dry vehicle. Pour DIAMOND FINISH onto a clean, damp cloth and apply to a small section at a time using a circular, overlapping motion. Allow DIAMOND FINISH to dry to a haze then buff with a clean, soft cloth. Additional coats of DIAMOND FINISH will add to the “showroom shine.”

NOTE: Do not use on flat black paint or black textured paints. Always check for colorfastness of decals before using.

HMIS			NFPA		
	Severe	4	Extreme		
Health	Serious	3	High	Health.....	1
Flammability.....	Moderate	2	Moderate	Flammability.....	1
Reactivity.....	Slight	1	Slight	Reactivity.....	0
Personal Protection.....	Minimal	0	Insignificant	Special Precautions.....	None