Safety Data Sheet



SECTION 1: Product and company identification			
Product name	: Alkaline pH Adjustment		
Use of the substance/mixture	: Drain maintainer		
Product code	: 025502		
Company	: Share Corporation P.O. Box 245013 Milwaukee, WI 53224 - USA T (414) 355-4000		
Emergency number	: Chemtrec: (800) 424-9300		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 3 (Oral) H301 Acute Tox. 4 (Dermal) H312 Skin Corr. 1A H314

Full text of H statements : see section 16

2.2. Label elements

GHS-US labeling	
Hazard pictograms (GHS-US)	CHS05 CHS06
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Toxic if swallowed Harmful in contact with skin Causes severe skin burns and eye damage
Precautionary statements (GHS-US)	 Do not breathe mist, vapors Wash thoroughly after handling Do not eat, drink or smoke when using this product Wear eye protection, protective gloves, protective clothing If swallowed: Immediately call a doctor, a POISON CENTER If swallowed: rinse mouth. Do NOT induce vomiting If on skin: Wash with plenty of water If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER, a doctor Call a doctor, a POISON CENTER if you feel unwell Specific treatment (see First aid measures on this label) Rinse mouth Take off contaminated clothing and wash it before reuse Wash contaminated clothing before reuse Store locked up Dispose of contents/container to comply with local/regional/national/international regulations
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US) Not applicable	
SECTION 3: Composition/Informatio	n on ingredients
3.1. Substance	
Not applicable	

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture				
Name	Product identifier	%	GHS-US classification	
sodium hydroxide, caustic soda	(CAS No) 1310-73-2	40-70	Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314	

Safety Data Sheet

Name	Product identifier	%	GHS-US classification
potassium hydroxide, caustic potash	(CAS No) 1310-58-3	3-13	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	Immediately call a poison center or doctor/physician. Rinse mouth. Do NOT induce vomiting.
4.2. Most important symptoms and effec	oth acute and delayed
Symptoms/injuries	Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	Corrosive to the respiratory tract.
Symptoms/injuries after skin contact	Harmful in contact with skin. Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	Causes serious eye damage. Permanent eye damage.
Symptoms/injuries after ingestion	Toxic if swallowed. Burns to the gastric/intestinal mucosa.

4.3. Indication of any immediate medical attention and special treatment needed No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: ABC powder.
5.2. Special hazards arising from the subs	tance or mixture
Reactivity	: Reacts violently with water. Reacts with (some) metals: release of highly flammable gases/vapours (hydrogen).
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or contain it. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures :	Isolate from fire, if possible, without unnecessary risk.	
6.1.1. For non-emergency personnel		
Protective equipment :	Gloves. Protective goggles. Face-shield.	
Emergency procedures :	Keep upwind.	
6.1.2. For emergency responders		
Protective equipment :	Equip cleanup crew with proper protection.	
Emergency procedures :	Stop leak if safe to do so. Stop release. Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Prevent so	l and water pollution.	
6.3. Methods and material for containment a	nd cleaning up	
For containment :	Contain released substance, pump into suitable containers.	
Methods for cleaning up :	Absorb spillage to prevent material damage. Small quantities of liquid spill: neutralize with acid solution. This material and its container must be disposed of in a safe way, and as per local legislation.	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling :	Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.	

Safety Data Sheet



Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including	any	y incompatibilities	
Storage conditions	:	Keep container closed when not in use. Store in original container. Store in a dry place. Store in a closed container. Keep cool.	
Incompatible products	:	strong acids.	
Incompatible materials	:	Metals.	
Storage area	:	Keep only in the original container. Store in a dry area. Store in a cool area.	

SECTION 8: Exposure controls/personal protection

8.1. Control param	neters		
sodium hydroxide	e, caustic soda (1310-73-2)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m³	
ACGIH	Remark (ACGIH)	URT, eye, & skin irr	
OSHA	OSHA PEL (TWA) (mg/m ³)	2 mg/m ³	

8.2. Exposure controls

Personal protective equipment

: Face shield. Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical	pr	operties
Physical state	:	Liquid
Appearance	:	Clear to hazy liquid.
Odor	:	Mild odor
Odor threshold	:	No data available
рН	:	14
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity / density	:	1.51 g/ml
Solubility	:	Soluble in water.
Log Pow	:	No data available
Log Kow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
VOC content	:	0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with water. Reacts with (some) metals: release of highly flammable gases/vapours (hydrogen).

Safety Data Sheet



10.2. Chemical stability	
No additional information available	
10.3. Possibility of hazardous reactions	5
Reacts violently with water.	
10.4. Conditions to avoid	
No additional information available	

10.5. Incompatible materials

May be corrosive to metals. strong acids. Metals.

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin.

Drain Away		
LD50 oral rat	214 mg/kg Potassium Hydroxide	
LD50 dermal rabbit	1350 mg/kg Sodium Hydroxide	
sodium hydroxide, caustic soda (1310-73-2)	
LD50 oral rat	4090 mg/kg	
LD50 dermal rabbit	1350 mg/kg	
ATE CLP (oral)	4090.000 mg/kg body weight	
ATE CLP (dermal)	1350.000 mg/kg body weight	

potassium hydroxide, caustic potash (131	0-5	8-3)
LD50 oral rat		214 mg/kg
ATE CLP (oral)		500.000 mg/kg body weight
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.
		pH: 14
Serious eye damage/irritation	:	Not classified
		pH: 14
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Not classified
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard		: Not classified
Symptoms/injuries after inhalation		: Corrosive to the respiratory tract.
Symptoms/injuries after skin contact		: Harmful in contact with skin. Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact		: Causes serious eye damage. Permanent eye damage.
Symptoms/injuries after ingestion		: Toxic if swallowed. Burns to the gastric/intestinal mucosa.
Likely routes of exposure		: Skin and eyes contact

SECTION 12: Ecological information 12.1. Toxicity No additional information available 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential No additional information available 12.3. Bioaccumulative potential No additional information available SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste disposal recommendations : Dispose of contents/container to comply with local/regional/national regulations. SECTION 14: Transport information Department of Transportation (DOT) Transport document description : UN3266 Corrosive liquid, basic, inorganic, n.o.s., 8, II

Date of issue: 8/4/2016

Safety Data Sheet	
UN-No.(DOT)	: UN3266
Proper Shipping Name (DOT)	: Corrosive liquid, basic, inorganic, n.o.s.
Class (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
	8
Packing group (DOT)	: II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: B2,IB2,T11,TP2,TP27
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	: B
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters",52 - Stow "separated from" acids
Additional information	
Other information	: This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154.
ADR	
No additional information available	
Transmort by soo	

Transport by sea
No additional information available

Air transport No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

sodium hydroxide, caustic soda (1310-73-2)	
Not listed on SARA Section 313 (Specific toxic che	emical listings)
CERCLA RQ	1000 lb
potassium hydroxide, caustic potash (1310-58-3)	
Not listed on SARA Section 313 (Specific toxic che	emical listings)
CERCLA RQ	1000 lb

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16	Other information					

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H290	May be corrosive to metals
H301	Toxic if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage

Safety Data Sheet

NFPA health hazard	:	3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	:	0 - Materials that will not burn.	
NFPA reactivity	:	1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.	•



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.