



# CRYSTAL CLEAR POOL FLOC

Cationic Swimming Pool Flocculent

### WARNING:

Causes skin irritation. Causes eye irritation.

BIODEGRADABLE • EFFICIENT • ECONOMICAL • NON-TOXIC  
WILL NOT HARM FISH OR WILDLIFE

**KEEP OUT OF REACH OF CHILDREN**


NET CONTENTS:  1  5  20  35  55 Gallon(s)

# CRYSTAL CLEAR POOL FLOC

Cationic Swimming Pool Flocculent



**PO BOX 245013  
MILWAUKEE, WI 53224  
800.776.7192  
www.sharecorp.com**



**WARNING:** Causes skin irritation. Causes eye irritation.

Wash thoroughly after handling. Wear eye protection, protective clothing, protective gloves. Take off contaminated clothing and wash before reuse.

**IF ON SKIN:** Wash with plenty of water.

**IF SKIN IRRITATION OCCURS:** Get medical advice/attention.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**IF EYE IRRITATION PERSISTS:** Get medical advice/attention.

### DISPOSAL:

Offer empty container for recycling. If recycling is not available, discard container in trash.

*For industrial and commercial use only.*

*For additional information, see Safety Data Sheet.*

### INGREDIENTS/CAS #:

Water (7732-18-5); Proprietary (Mixture).

### NFPA® RATINGS:

Health: 1; Flammability: 0; Reactivity: 0



Please Recycle.

This positively charged polymer/flocculent is specifically formulated to provide economical and fast clarification of swimming pool water. It is designed to coagulate and floc suspended solids. These solids will collect on the filter and the bottom of the pool for easy removal by backwashing, when the filter pressure is high, or vacuuming.

### DIRECTIONS:

Add 12 ounces of **CRYSTAL CLEAR POOL FLOC** per 10,000 gallons of swimming pool water. Add this maintenance dose to the pool once per week at an area of maximum agitation.

If the pool water is cloudy add 25 ounces of **CRYSTAL CLEAR POOL FLOC** per 10,000 gallons of swimming pool water.

Allow **CRYSTAL CLEAR POOL FLOC** to work for one hour, then vacuum the bottom of the pool and backwash the filter if the filter pressure is high.

**CATIONIC FLOCCULENT** may be diluted 1:10 prior to introduction into the waste stream. Feed the dilute solution in a manner that will provide maximum distribution of the flocculent. Avoid severe agitation following flocculent addition. The inlet of the clarifier may be the ideal feeding point, although feeding into the center well may be advisable when the floc is unusually fragile.

0384.050815