

# LIQUID ICE MELT

## Ice Melt Compound



**Form:** Liquid

**Color:** Colorless, Clear

**Odor:** Glycol/Alcohol

**pH:** N/A

**Solubility (in water):** Soluble  
**(in mineral spirits):** No data available

**VOC Content (% by weight):** 10%

**Flash Point (Closed Cup):** >200°F

**Specific Gravity:** 1.10 g/cm<sup>3</sup>

**Density:** 9.01 lbs/gal

**Storage Stability (at 70°F):** 1 year

<u>Ingredients</u>	<u>C.A.S. #</u>
Ethylene Glycol.....	107-21-1
Isopropanol.....	67-63-0
Diethylene Glycol .....	111-46-6

Use On...	
• <b>Stairs</b>	• <b>Downspouts</b>
• <b>Sidewalks</b>	• <b>Hinges</b>
• <b>Bridges</b>	• <b>Locks</b>
• <b>Driveways</b>	• <b>Control Boxes</b>
• <b>Ramps</b>	• <b>Chains</b>
• <b>Loading Docks</b>	• <b>Linkages</b>
• <b>Water Mains</b>	• <b>Fire Hydrants</b>
• <b>Coal Conveyors</b>	• <b>Rain Gutters</b>

### DIRECTIONS:

**Coverage:** 1 gallon per 500 – 750 square feet.

**General Use:** LIQUID ICE MELT is ready-to-use. DO NOT DILUTE. Spray, pour, or sprinkle liberally on surfaces covered with snow or ice. It will become diluted as it works, therefore reapplication may be necessary for heavy layers of ice, sleet, or during heavy rainfall

**To Treat Glazed or Glare Ice:** Score ice in a vertical or horizontal manner to assure thorough penetration, rapid thaw, and prevent runoff. Pour LIQUID ICE MELT into the scoring and allow it to penetrate. Remove slush by shoveling.

**Sand Application:** Add 5 to 10 gallons per cubic yard of sand. Spread treated sand at the rate of 50,000 to 60,000 square feet per cubic yard.

HMIS®			NFPA®		
	Severe	4	Extreme		
Health .....	Serious	3	High	Health.....	2
Flammability.....	Moderate	2	Moderate	Flammability.....	1
Reactivity.....	Slight	1	Slight	Reactivity.....	0
Personal Protection.....	Minimal	0	Insignificant	Special Precautions.....	None