

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not use in vicinity of, or within 12 feet of any food handling or dispensing area. Large drafts of heated ventilation may reduce or eliminate the insecticidal efficacy of these installations. Do not use in public areas while customers are present. Do not use where people will be continually exposed. Inform employees of the nature and purpose of material being automatically dispensed.

Open or remove fish bowls and aquariums when in use.

Facilities and equipment in meat and poultry plants must be washed with an effective cleaning compound followed by potable water rinse after spraying.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

**FIRST AID**

<b>If swallowed</b>	<ul style="list-style-type: none"> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Do not give any liquid to the person.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 min.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

# Metered insecticide

**KILLS: FLIES, MOSQUITOES AND GNATS**

This time released aerosol is to be used only in commercial food service and preparation areas of milk houses, hospitals, hotels, motels, factories, stores, ships, clubs, restaurants, schools.

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.90%
Piperonyl butoxide, Technical.....	1.80%
**N-Octyl bicycloheptene dicarboximide.....	3.00%
**OTHER INGREDIENTS.....	94.30%
	100.00%

\*Equivalent to 1.44% (butylcarbitol) (5-propylpiperonyl) ether and 0.36% related compounds.

\*\*MGK® 264 Insecticide Synergist

\*\*Contains petroleum distillate

MGK® Registered trademark of McLaughlin Gormley King Co.

EPA REG. NO. 3862-134-13103 EPA EST. NO. 9143-TX-1

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See additional precautionary statements on back panel.

Distributed by:

AERO CHEMICAL COMPANY P.O. Box 16247 Atlanta, GA 30321

Net Wt.: 6.5 oz (184 g)

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE EACH USE.**

**FOR USE IN AUTOMATIC DISPENSERS:** Install at a distance of seven (7) feet from the floor and where air currents will carry spray throughout room. One dispensing unit should be installed for each 6,000 cubic feet of space to be treated. Set the dispenser to activate the 54 mg. valve once every 15 minutes. Usually the effectiveness will be noticeable within one hour after the dispenser is activated. Keep in mind that such factors as air flow rate, size of space treated, humidity and room temperatures all affect insect activity and control. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed. This 6 1/2 oz. can of insect killer contains approximately 3,400 "shots" sufficient to sustain operation for a total of 850 hours (35 days on around-the-clock basis).

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool area away from heat or open flame.  
**DISPOSAL:** Do Not Puncture or Incinerate!  
If empty: Place in trash or offer for recycling if available.  
If partly filled: Call your local solid waste agency for disposal instructions.

